

# Product Fiche

## The basic information

**Model:** ASH-09BIS2/W , ASH-09BIS2/W ;

**Manufacturer / Address:** SINCLAIR CORPORATION Ltd., 1-4 Argyll St.,  
London, UK ;

**Sound power level (indoor unit / outdoor unit):** 58/62 dB(A);

**Refrigerant:** R32 ;

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675 .This means that if 1 kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1 kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.

## Cooling mode

**SEER:** 8.5 ;

**Energy efficiency class:** A+++ ;

**Pdesignc:** 2.7 kW;

Energy consumption 111 kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

## Heating mode

**Type:** Warmer/Average/Colder ;

**SCOP:** 5.7/5.1/3.8 ;

**Energy efficiency class:** A+++/A+++/A ;

**Pdesignh:** 3.8/3.5/4.8 kW;

Energy consumption 933/961/2653 kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

The back up heating capacity for calculation of SCOP at reference design condition: 0/0/0.7 kW.



66319907522

# Product Fiche

## The basic information

**Model:** ASH-13BIS2/W , ASH-13BIS2/W ;

**Manufacturer / Address:** SINCLAIR CORPORATION Ltd., 1-4 Argyll St.,  
London, UK ;

**Sound power level (indoor unit / outdoor unit):** 58/62 dB(A);

**Refrigerant:** R32 ;

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1 kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1 kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.

## Cooling mode

**SEER:** 8.5 ;

**Energy efficiency class:** A+++ ;

**Pdesignc:** 3.5 kW;

Energy consumption 144 kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

## Heating mode

**Type:** Average/Warmer/Colder ;

**SCOP:** 5.1/5.7/4.0 ;

**Energy efficiency class:** A+++/A+++/ A+;

**Pdesignh:** 3.5/3.6/5.0 kW;

Energy consumption 961/884/2625 kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

The back up heating capacity for calculation of SCOP at reference design condition: 0/0/1.4 kW.



66319907523

# Product Fiche

## The basic information

**Model:** ASH-18BIS2/W , ASH-18BIS2/W ;

**Manufacturer / Address:** SINCLAIR CORPORATION Ltd., 1-4 Argyll St.,  
London, UK ;

**Sound power level (indoor unit / outdoor unit):** 60/63 dB(A);

**Refrigerant:** R32 ;

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1 kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1 kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.

## Cooling mode

**SEER:** 6.6 ;

**Energy efficiency class:** A++ ;

**Pdesignc:** 5.3 kW;

Energy consumption 281 kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

## Heating mode

**Type:** Warmer/Average/Colder ;

**SCOP:** 5.1/4.4/3.4 ;

**Energy efficiency class:** A+++/A+/A ;

**Pdesignh:** 6.4/5.9/8.0 kW;

Energy consumption 1757/1877/4941 kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

The back up heating capacity for calculation of SCOP at reference design condition: 0/0.5/1.0 kW.



66319907524

# Product Fiche

## The basic information

**Model:** ASH-24BIS2/W , ASH-24BIS2/W ;

**Manufacturer / Address:** SINCLAIR CORPORATION Ltd., 1-4 Argyll St.,  
London, UK ;

**Sound power level (indoor unit / outdoor unit):** 64/69 dB(A);

**Refrigerant:** R32 ;

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675 . This means that if 1 kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1 kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.

## Cooling mode

**SEER:** 6.5 ;

**Energy efficiency class:** A++ ;

**Pdesignc:** 7.0 kW;

Energy consumption 377 kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

## Heating mode

**Type:** Warmer/Average/Colder ;

**SCOP:** 5.3/4.1/3.5 ;

**Energy efficiency class:** A+++/A+/A ;

**Pdesignh:** 7.0/7.0/7.0 kW;

Energy consumption 1849/2390/4200 kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

The back up heating capacity for calculation of SCOP at reference design condition: 0/1.3/1.3 kW.



66319907525